

HT-PP afløbsrør & fittings med gummiring


Beskrivelse: HT-PP afløbssystem i Polypropylen. (VA godkendt)

Farve: Grå (Ral 7073) / Hvid

Samling: Spidsende skydes ind i mufte med gummiring


Tryk: Trykløs

HT-PP afløbsrør med mufte




Dimension mm	Nyttelængde mm	Farve	VVS-nr.
32	500	Grå	18.6010.050
32	1000	Grå	18.6010.100
32	2000	Grå	18.6010.200
32	3000	Grå	18.6010.300
32	500	Hvid	18.6010.350
32	1000	Hvid	18.6010.400
32	2000	Hvid	18.6010.500
32	3000	Hvid	18.6010.600
40	500	Grå	18.6011.050
40	1000	Grå	18.6011.100
40	2000	Grå	18.6011.200
50	500	Grå	18.6012.050
50	1000	Grå	18.6012.100
50	2000	Grå	18.6012.200
50	3000	Grå	18.6012.300
75	500	Grå	18.6014.500
75	1000	Grå	18.6014.100
75	2000	Grå	18.6014.200
110	500	Grå	18.6017.050
110	1000	Grå	18.6017.100
110	2000	Grå	18.6017.200
110	3000	Grå	18.6017.300
110	5000 u/muf.	Grå	18.6017.500
160	2000	Grå	18.6019.200
160	3000	Grå	18.6019.300
160	5000	Grå	18.6019.500

HT-PP skydemuffe




Dimension mm	Karton Stk.	Farve	VVS-nr.
32	25	Grå	18.6541.032
32	25	Hvid	18.6541.332
40	25	Grå	18.6541.040
50	25	Grå	18.6541.050
75	20	Grå	18.6541.075
110	20	Grå	18.6541.110
160	20	Grå	18.6541.160

HT-PP dobbeltmuffe




Dimension mm	Karton Stk.	Farve	VVS-nr.
32	25	Grå	18.6551.032
32	25	Hvid	18.6551.332
40	25	Grå	18.6551.040
50	25	Grå	18.6551.050
75	20	Grå	18.6551.063
110	20	Grå	18.6551.110
160	20	Grå	18.6551.160

HT-PP bøjning med 1 muffe




Dimension mm	Gradtal	Karton Stk.	Farve	VVS-nr.
32	15gr.	25	Grå	18.6171.032
40	15gr.	25	Grå	18.6171.040
50	15gr.	25	Grå	18.6171.050
75	15gr.	20	Grå	18.6171.075
110	15gr.	20	Grå	18.6171.110
160	15gr.	20	Grå	18.6171.160
32	30gr.	25	Grå	18.6161.032
40	30gr.	25	Grå	18.6161.040
50	30gr.	25	Grå	18.6161.050
75	30gr.	20	Grå	18.6161.075
110	30gr.	20	Grå	18.6161.110
160	30gr.	20	Grå	18.6161.160
32	45gr.	25	Grå	18.6151.032
40	45gr.	25	Grå	18.6151.040
50	45gr.	25	Grå	18.6151.050
75	45gr.	20	Grå	18.6151.075
110	45gr.	20	Grå	18.6151.110
160	45gr.	20	Grå	18.6151.160
32	88,5gr.	25	Grå	18.6113.032
40	88,5gr.	25	Grå	18.6113.040
50	88,5gr.	25	Grå	18.6113.050
75	88,5gr.	20	Grå	18.6113.075
110	88,5gr.	20	Grå	18.6113.110
160	88,5gr.	20	Grå	18.6113.160
32	15gr.	25	Hvid	18.6171.332
32	30gr.	25	Hvid	18.6161.332
32	45gr.	25	Hvid	18.6151.332
32	88,5gr.	25	Hvid	18.6113.332

HT-PP bøjning med 2 muffer




Dimension mm	Gradtal	Karton Stk.	Farve	VVS-nr.
32	88,5gr.	25	Grå	18.6117.032
32	88,5gr.	25	Hvid	18.6117.332

HT-PP grenrør




Dimension mm	Gradtal	Karton Stk.	Farve	VVS-nr.
32	45gr.	25	Grå	18.6380.032
40	45gr.	25	Grå	18.6380.040
50	45gr.	25	Grå	18.6380.050
75	45gr.	20	Grå	18.6380.075
110	45gr.	20	Grå	18.6380.110
160	45gr.	20	Grå	18.6380.160
32	87,5gr.	25	Grå	18.6300.032
40	87,5gr.	25	Grå	18.6300.040
50	87,5gr.	25	Grå	18.6300.050
75	87,5gr.	25	Grå	18.6300.075
110	87,5gr.	25	Grå	18.6300.110
160	87,5gr.	20	Grå	18.6300.160
32	45gr.	25	Hvid	18.6380.332
32	88,5gr.	25	Hvid	18.6300.332
40	88,5gr.	25	Hvid	18.6300.340

HT-PP reduktion



Dimension mm	Karton Stk.	Farve	VVS-nr.
40/32	25	Grå	18.6580.039
50/32	25	Grå	18.6580.048
50/40	25	Grå	18.6580.049
75/32	25	Grå	18.6580.071
75/40	25	Grå	18.6580.072
75/50	25	Grå	18.6580.073
110/50	20	Grå	18.6580.106
110/75	20	Grå	18.6580.108
160/110	10	Grå	18.6580.112
40/32	25	Hvid	18.6580.339
50/32	25	Hvid	18.6580.348
50/40	25	Hvid	18.6580.349

HT-PP slutprop



Dimension mm	Karton Stk.	Farve	VVS-nr.
32	25	Grå	18.6521.032
40	25	Grå	18.6521.040
50	25	Grå	18.6521.050
75	20	Grå	18.6521.075
110	20	Grå	18.6521.110
160	20	Grå	18.6521.160
32	25	Hvid	18.6521.332

HT-PP rørbærer



Dimension mm	Karton Stk.	Farve	VVS-nr.
32	25	Grå	17.6931.032
40	25	Grå	17.6931.040
50	25	Grå	17.6931.050
75	20	Grå	17.6931.075
110	20	Grå	17.6931.110
160	20	Grå	17.6931.160
32	25	Hvid	17.6931.332
40	25	Hvid	17.6931.340

HT-PP pungvandlås



Dimension mm	Karton Stk.	Farve	VVS-nr.
32X1 1/4"	25	Hvid	75.0411.010
40X1 1/2"	25	Hvid	75.0411.012

Glidemiddel (siliconespray)



Indhold ml.	Karton Stk.	VVS-nr.
500	12	06.1721.006