

C-PVC rør & fittings

Beskrivelse: C-PVC trykrør med glatte ender.

Farve: Lys grå

Nyttelængde: 5 meter

Tryk: 10 bar

Arbejdstemperatur: -15 - +95gr.

*Fordele ved dette system:

-Høj slagstyrke

-Tåler kraftig varme

C-PVC trykrør



Dimension Mm	PN	Mål mm	Karton m.	VVS-nr.
20	10	5000	10	06.8305.020
25	10	5000	10	06.8305.025
32	10	5000	10	06.8305.032
40	10	5000	10	06.8305.040
50	10	5000	5	06.8305.050
63	10	5000	5	06.8305.063
75	10	5000	5	06.8305.075
90	10	5000	5	06.8305.090
110	10	5000	5	06.8305.110

Muffe



Dimension Mm	PN	Karton m.	VVS-nr.
20		10	06.8323.020
25		10	06.8323.025
32		10	06.8323.032
40		10	06.8323.040
50		10	06.8323.050
63		10	06.8323.063
75		10	06.8323.075
90		10	06.8323.090
110		10	06.8323.110
160		10	06.8323.160

Vinkel 90gr. med klæbemuffe



Dimension mm	PN	Karton Stk.	VVS-nr.
20	10	10	06.8314.020
25	10	10	06.8314.025
32	10	10	06.8314.032
40	10	10	06.8314.040
50	10	10	06.8314.050
63	10		06.8314.063
75	10		06.8314.075
90	10		06.8314.090
110	10		06.8314.110
160	10		06.8314.160

Vinkel 45gr. med klæbemuffe



Dimension mm	PN	Karton Stk.	VVS-nr.
20	10	10	06.8316.020
25	10	10	06.8316.025
32	10	10	06.8316.032
40	10	10	06.8316.040
50	10	10	06.8316.050
63	10		06.8316.063
75	10		06.8316.075
90	10		06.8316.090
110	10		06.8316.110
160	10		06.8316.160

Tee 90gr.



Dimension mm	PN	Karton Stk.	VVS-nr.
20	10	10	06.8320.020
25	10	10	06.8320.025
32	10	10	06.8320.032
40	10	10	06.8320.040
50	10	10	06.8320.050
63	10	10	06.8320.063
75	10	10	06.8320.075
90	10		06.8320.090
110	10		06.8320.110
160	10		06.8320.160

Reduktioner




Dimension Mm	PN	Karton Stk.	VVS-nr.
25/20	10	10	06.8331.024
32/20	10	10	06.8331.030
32/25	10	10	06.8331.031
40/20	10	10	06.8331.039
40/25	10	10	06.8331.037
40/32	10	10	06.8331.038
50/40	10	10	06.8331.049
50/32	10	10	06.8331.048
63/25	10		06.8331.059
63/32	10		06.8331.060
63/40	10		06.8331.061
63/50	10		06.8331.062
75/40	10		06.8331.072
75/50	10		06.8331.073
75/63	10		06.8331.074
90/40	10		06.8331.086
90/50	10		06.8331.087
90/63	10		06.8331.088
90/75	10		06.8331.089
110/50	10		06.8331.106
110/63	10		06.8331.107
110/75	10		06.3331.108
110/90	10		06.8331.109
160/110	10		06.8331.156

Slutmuffe



Dimension mm	PN	Karton Stk.	VVS-nr.
20	10	10	06.8329.020
25	10	10	06.8329.025
32	10	10	06.8329.032
40	10	10	06.8329.040
50	10	10	06.8329.050
63	10		06.8329.063
75	10		06.8329.075
90	10		06.8329.090
110	10		06.8329.110
160	10		06.8329.160

Union med klæbemuffe, EPDM pakning



Dimension mm	PN	Karton Stk.	VVS-nr.
20	10	10	06.8333.020
25	10	10	06.8333.025
32	10	10	06.8333.032
40	10	10	06.8333.040
50	10	10	06.8333.050

Kuglehane m/dobbelt union



Dimension mm	PN	VVS-nr.
20	10	06.8382.020
25	10	06.8382.025
32	10	06.8382.032
40	10	06.8382.040
50	10	06.8382.050
63	10	06.8382.063

C-PVC lim



Indhold Gram	Karton Stk.	VVS-nr.
250		06.8369.025
1000		06.8097.100